

IN THE CLAIMS:

Please amend the claims as follows. The following is a complete listing of the claims in this application and replaces all earlier versions and all earlier listings of the claims:

1. (Currently amended) An apparatus for recapping tires comprising:
 - a first support structure for a tire to be recapped, comprising
 - a mandrel for support of the tire,
 - a shaft for mounting the mandrel for rotation, the mandrel being mounted for translation on said first support structure, the shaft being supported by a vertical upright on a carriage, and
 - a second support structure associated with the first support structure to support tools for recapping the tire,
 - which recapping tools are mounted for translation on said second support structure, in a direction approximately perpendicular to that of translation of the mandrel,
 - characterized in that the direction of translation of the mandrel, vertical upright and carriage is parallel to the mounting shaft of said mandrel; ,
 - ~~wherein the translation of the mandrel on the first support and the translation of the recapping tools on the second support permit the recapping tools to contact any point on the surface of the tire shoulders, sidewalls and tread surface for recapping of the tire.~~
2. (Previously presented) An apparatus according to claim 1, wherein the mandrel is mounted for translation on a first set of two guide rails, wherein said first set of two guide rails is parallel to the shaft of said mandrel, the two rails being disposed symmetrically relative to a plane which contains the shaft of the mandrel, and wherein the plane which contains the shaft of

the mandrel is approximately perpendicular to the plane which contains the surface of the first set of two guide rails.

3. (Previously presented) An apparatus according to claim 2, wherein the capping tools are mounted on a second set of two guide rails disposed symmetrically relative to a plane which contains the center of the recapping tools, and wherein the plane which contains the center of the recapping tools is approximately perpendicular to the plane which contains the surface of the second set of two guide rails.

4. (Original) An apparatus according to claim 1, wherein the movements of translation of the recapping tools and of the mandrel are situated in a single horizontal plane.

5. (Original) An apparatus according to claim 1, wherein, in addition to the recapping tools, the second support structure comprises units for rolling a new tread for the tire to be recapped, after the tread has been applied to the latter.

6. (Original) An apparatus according to claim 1, wherein the recapping tools comprise rasping tools for the tire to be recapped.

7. (Previously presented) An apparatus according to claim 6, wherein the rasping tools comprise a series of circular blades, which are fitted such as to rotate around a rotational shaft, said rotational shaft being disposed approximately perpendicularly to the direction of translation of said tools.

8. (Previously presented) An apparatus according to claim 1, wherein the recapping tools include tools for application of a tread.

9. (Original) An apparatus according to claim 1, comprising at least one additional structure for supporting tools for recapping the tire, which are mounted to translate the tools on the corresponding structure, in a direction which is approximately perpendicular to the direction of translation of the mandrel.